

# SB14A 29'-6" (14 PALLET) CURTAINSIDER

**STOCK UNIT  
READY TO GO**



## SPECIFICATIONS:

Size:	8992mm Long x 2490mm Wide x 2590mm High from top of coaming (to suit 6470 wheelbase, 840-860 wide chassis rails)
Side Opening:	2415mm
Front Wall:	150mm front wall meeting all load restraint requirements fitted with front tensioners.
Rear Frame:	Channel uprights reinforced with 50 x 50 SHS for added strength with dock rubbers and underrun bar.
Roof Frame:	Aluminium roof rails/curtain tracks with aluminium roof bows and one (1) sliding post.
Floor Frame:	125 x 65 channel main runners with 75 x 50 RHS cross bearers.
Flooring:	5mm chequered plate floor.
Side Coaming:	100 x 45 RSJ with 20mm lip.
Rope Rails:	25mm NB pipe.
Steps:	Front & rear steps on each side.
Rear Doors:	Double FRP rear doors, single camlock, and four (4) hinges on each door.
Guards:	Steel mudguards & mudflaps.
Lights:	Four (4) side marker lights on each side, front & rear clearance lights.
Curtains:	Easy glide roller Blue 543 curtains with black pelmet.
Gates:	Four (4) 1500H lightweight duragal steel gates on each side.
Tensioners:	Front & rear tensioners

Price:

Optional Extras (pricing on request):

- Load rated curtains
- Reverse camera
- Aluminium gates
- Gate restraint system
- Nose cone
- Tool box
- Load binders
- Work light
- Alternative curtain colour:
- 



FRONT TENSIONER



REAR TENSIONERS



NARVA LED LIGHTS



NARVA LED NUMBER  
PLATE LIGHTS



NOSE CONE



LOAD BINDERS



GATES RESTRAINT SYSTEM  
& SLIDING POST



ROOF RAIL/CURTAIN TRACK



TOOLBOX



245 FRANKSTON-DANDENONG ROAD, DANDENONG, 3175  
TEL: 03 97912144

# SB14B 29'-6" (14 PALLET) CURTAINSIDER

**STOCK UNIT  
READY TO GO**



## SPECIFICATIONS:

Size:	8992mm Long x 2490mm Wide x 2590mm High from top of coaming <b>(to suit 6470 wheelbase, 840-860 wide chassis rails)</b>
Side Opening:	2415mm
Front Wall:	150mm front wall meeting all load restraint requirements fitted with front tensioners.
Rear Frame:	Channel uprights reinforced with 50 x 50 SHS for added strength with dock rubbers and <b>underrun to suit tilt tailgate</b>
Roof Frame:	Aluminium roof rails/curtain tracks with aluminium roof bows and one (1) sliding post.
Floor Frame:	125 x 65 channel main runners with 75 x 50 RHS cross bearers.
Flooring:	5mm chequered plate floor.
Side Coaming:	100 x 45 RSJ with 20mm lip.
Rope Rails:	25mm NB pipe.
Steps:	Front & rear steps on each side.
Rear:	Open to suit tailgate.
Guards:	Steel mudguards & mudflaps.
Lights:	Four (4) side marker lights on each side, front & rear clearance lights.
Curtains:	Easy glide roller Blue 543 curtains with black pelmet.
Gates:	Four (4) 1500H lightweight duragal steel gates on each side.
Tensioners:	Front & rear tensioners

Price:

Optional Extras (pricing on request):

- Load rated curtains
- Reverse camera
- Aluminium gates
- Gate restraint system
- Nose cone
- Tool box
- Load binders
- Work light
- Tilt tailgate
- Alternative curtain colour:



245 FRANKSTON-DANDENONG ROAD, DANDENONG, 3175  
TEL: 03 97912144



FRONT TENSIONER



REAR TENSIONERS



NARVA LED LIGHTS



NARVA LED NUMBER  
PLATE LIGHTS



NOSE CONE



LOAD BINDERS



GATES RESTRAINT SYSTEM  
& SLIDING POST



ROOF RAIL/CURTAIN TRACK



TOOLBOX

# SB14C 29'-6" (14 PALLET) CURTAINSIDER

**STOCK UNIT  
READY TO GO**



Red curtains and Rear top stop/tail lights are optional

## SPECIFICATIONS:

- Size: 8992mm Long x 2490mm Wide x 2780mm High from top of coaming **(to suit 6470 wheelbase, 840-860 wide chassis rails)**
- Side Opening: 2600mm
- Front Wall: 150mm front wall meeting all load restraint requirements fitted with front tensioners.
- Rear Frame: Channel uprights reinforced with 50 x 50 SHS for added strength with dock rubbers and underrun bar.
- Roof Frame: Aluminium roof rails/curtain tracks with aluminium roof bows and one (1) sliding post.
- Floor Frame: 125 x 65 channel main runners with 75 x 50 RHS cross bearers.
- Flooring: 5mm chequered plate floor.
- Side Coaming: 100 x 45 RSJ with 20mm lip.
- Rope Rails: 25mm NB pipe.
- Steps: Front & rear steps on each side.
- Rear Doors: Double FRP rear doors, single camlock, and four (4) hinges on each door.
- Guards: Steel mudguards & mudflaps.
- Lights: Four (4) side marker lights on each side, front & rear clearance lights.
- Curtains: Easy glide roller Blue 543 curtains with black pelmet.
- Gates: Four (4) 1500H lightweight duragal steel gates on each side.
- Tensioners: Front & rear tensioners

## Price:

### Optional Extras (pricing on request):

- Load rated curtains
- Reverse camera
- Aluminium gates
- Gate restraint system
- Nose cone
- Tool box
- Load binders
- Work light
- Alternative curtain colour:



FRONT TENSIONER



REAR TENSIONERS



NARVA LED LIGHTS



NARVA LED NUMBER PLATE LIGHTS



NOSE CONE



LOAD BINDERS



GATES RESTRAINT SYSTEM & SLIDING POST



ROOF RAIL/CURTAIN TRACK



TOOLBOX



245 FRANKSTON-DANDENONG ROAD, DANDENONG, 3175  
TEL: 03 97912144